

SPECIALTY CHEMICALS

BLACK & WHITE
 THE ORIGINAL
METAL FIX

Repairs:

- CRACKED & POROUS SOIL PIPE
- BOILER & RADIATOR SECTIONS
- SPLIT FITTINGS - STRIPPED THREADS
- APPLICABLE ON ALL DEFECTIVE METALS

Ask a Master Plumber about Black & White Metal Fix.

Since 1917, plumbers have relied on Black & White Metal Fix to fix cracks in all metals. Unlike epoxy, which can take several minutes to apply and hours to cure--this mineral composite repairs cracks in minutes.

Simply heat the object to be repaired with a torch to a few hundred degrees, and press Black & White Metal Fix into the crack. A "wetting transition" occurs--the metal-fix flows into the crack--and creates a seal on the inside AND outside. Try that with epoxy!



APPLIED ON SOIL PIPE - CAST IRON BOILERS - RADIATORS - STEEL - BRASS - COPPER - GALVANIZED IRON

W-R#	Description	Min
1005002	Black & White Metal Fix	1 display



KWIK METAL® COLD SOLDER

W-R#	Description	Min.	Box
1007002	1½ lb can	1	12

- Versatile chemical compound used for metal glazing and filling. Applies like putty, and hardens like metal.

SPECIALTY CHEMICALS



**BLACK & WHITE®
GRAPHITE PACKING
SPOOLS**



W-R#	Description	Min.	Box
1900002	1/4"	1	12
1900004	1/8"	1	12

- Non-asbestos
- Reclosable Spool



**E-Z FIX
PACKING DISPLAY**



W-R#	Description	Min.	Box
1907102	Graphite	1	1
1907104	Teflon	1	1

- 3/32" X 20" Strands
- 24 to a display box.



1 OZ. STEM GREASE



W-R#	Description	Min.	Box
1650000	Stem Grease 1 oz.		

- Heat resistant



WAX GASKETS



W-R#	Description	Min.	Box
1357002	Regular	1	48
1358002	Deep	1	24
1358202	Urethane Reinforced	1	24
1356002	Sponge Rubber	1	24
1358500	2" Urinal Gasket	1	12

- Fit 3" and 4" back-outlet wall-hung bowls

- 5 3/8" OD x 3 1/2" ID x 3/4" thick

- Urethane felt impregnated



SPECIALTY CHEMICALS



PERMATEX® PIPE JOINT COMPOUND

W-R#	Description	Min.	Box
1011016	51D 1 pt.	12	12

- Seals pipes to 5000 psi.
- Prevents galling and corrosion.
- Outperforms Teflon tape. Won't shred.
- Non hardening.



PERMATEX® THREAD SEALANT WITH TEFLON

W-R#	Description	Min.	Box
1011038	14H ¼ pt.	12	12
1011039	14D 1 pt.	12	12

- Seals pipes to 5000 psi.
- Prevents galling and corrosion.
- Outperforms Teflon tape. Won't shred.
- Non hardening for easy disassembly



PERMATEX® FORM-A-GASKET NO.1®

W-R#	Description	Min.	Box
1011004	1B 3 oz. tube	12	12

- Improves gasket seal on close fitting parts.
- Slow Drying, pliable setting.
- Withstands pressures to 5,000 lbs.



PERMATEX® FORM-A-GASKET NO.2®

W-R#	Description	Min.	Box
1011010	2B 3 oz. tube	12	12

- Improves gasket seal on non rigid, vibrating assemblies
- Slow Drying, flexible setting.
- Withstands pressures to 5,000 lbs.



PERMATEX® CLEAR SILICONE RUBBER ADHESIVE/ SEALANT

W-R#	Description	Min.	Box
1011034	66B 3 oz. tube	12	12

- For gasketing, sealing, bonding, and caulking
- Remains flexible
- Works to 500°

SPECIALTY CHEMICALS

**LEAK-LOCK® PIPE
THREAD SEALANT**



W-R#	Description	Min.	Box
Original Blue Leak-Lock			
1014002	1.3 oz Tube	12	12
1014004	4 oz. Bottle	12	12
1014006	16 oz. Bottle	12	12
Leak-Lock *Gold* - With Teflon			
1015002	1.3 oz Tube	12	12
1015004	4 oz Bottle	12	12



**NOKORODE®
REGULAR SOLDER
PASTE FLUX**

W-R#	Description	Min.	Box
1008002	2 oz.	1dz	
1008004	1 lb.	1	12

NOKORODE Regular Paste Flux will not freeze or decompose. Odor & lead free. Recommended for use on all solder alloys including 95/5 and all lead free solders.



**NOKORODE®
"COLD-WEATHER"
SOLDER PASTE FLUX**



W-R#	Description	Min.	Box
1008008	1 lb.	1	12

NOKORODE COLD WEATHER FLUX stays soft & sticky in cold weather. Odor & lead free. Recommended for use on all solder alloys including 95/5 and all lead free solders.



**UTILITY® SOLDER
PASTE FLUX**



W-R#	Description	Min.	Box
1008504	1 lb.	1	12

UTILITY Paste Flux is the original self-cleaning, lead-free flux. Recommended for all soft solder work, including 95/5.

SPECIALTY CHEMICALS



**RECTORSEAL®
METACAULK 1000
RED FIRESTOP CAULK**

W-R#	Description	Min.	Box
1020002	10.3 oz	1	24

- Metacaulk 1000® is a water-based fire-rated intumescent sealant used to fill the through penetrations of walls and floors. Conforms to ASTM E814, UL1479 & UL 2079 Fire Test Standards.



**GEL-GLOSS®
FIBERGLASS & MARBLE
CLEANER**

W-R#	Description	Min.	Box
1651002	12oz Aerosol	1	12
1651004	16oz Liquid	1	12

- The world's Number 1 selling cleaner and polish for cultured marble and fiberglass! Recommended by major marble, fiberglass, and acrylic manufacturers.



**LIQUID WRENCH®
SUPER PENETRANT**

W-R#	Description	Min.	Box
1016004	11oz. Spray	1	12

- A powerful blend of quick-acting, fast-penetrating solvents that loosens rusted nuts, bolts, and parts in seconds.



**WD-40®
SPRAY LUBRICANT**

W-R#	Description	Min	Ctn
1021002	8 oz	1	12
1021004	11 oz	1	12



**LAVA®
PRO ORANGE
HAND CLEANER**

W-R#	Description	Min	Ctn
1023004	16 oz Lava® Pro Orange	1	12

- Lava® Pro Orange hand cleaner combines classic pumice with citrus cleanser for maximum cleaning power!

SPECIALTY CHEMICALS



**BLACK SWAN® WHITE
TUB & TILE CAULK**

W-R#	Description	Min.	Box
1009002	6 oz	1	24
1009004	10.5 oz	1	12

- A siliconized acrylic latex caulk that permanently seals tubs, showers, tile, sinks, windows, doors, etc. It resists mildew and shrinking, remains flexible and won't crumble, and it can be painted.



**BLACK SWAN®
STAY-SOFT PUTTY**

W-R#	Description	Min.	Box
1018002	14 oz	1	24

- A non-bleeding, plastic and elastic putty made especially for plumbers. It's not sticky and handles like modeling clay. It keeps indefinitely, and it won't shrink, crack or crumble.



**WAL-RICH SHOWER
PAN LINER CEMENT**



W-R#	Description	Min.	Box
1013012	1 Pt.	1	12

- For joining seams of PVC shower pan liners.



PAINT CRAYONS



W-R#	Description	Min	Box
1812500	Yellow	1	1

- Sold by the dozen only, no broken dozens



**8 OZ. CIRCULATOR
LUBRICATING OIL**

W-R#	Description	Min.	Box
1019002	8 OZ.	1	12

A special blend of non-detergent oils for lubricating oil burners, electric motors, pumps, circulators, etc.

SPECIALTY CHEMICALS



WHITE TEFLON TAPE

W-R#	Description	Min.	Box
1001002	1/2" x 260"	1	100
1001004	1/2" x 520"	1	100
1001006	3/4" x 260"	1	100
1001008	3/4" x 520"	1	100

- 3.5 mil thick (Density .4)



YELLOW TEFLON TAPE

W-R#	Description	Min.	Box
1001010	1/2" x 260"	1	100

- 4 mil thick (Density .9)

- Can be used for Gas applications



PINK TEFLON TAPE

W-R#	Description	Min.	Box
1001012	1/2" x 260"	1	100

- 4 mil thick (Density .9)

PUTTY KNIVES



W-R#	Description	Min.	Box
1818606	2" Putty Knife	1	12

FLUX BRUSHES



W-R#	Description	Min.	Box
1812002	1 Gross	1	6

DOPE BRUSH



W-R#	Description	Min.	Box
1813002	3/4"	1	36

WOOD CHIP BRUSH



W-R#	Description	Min.	Box
1814002	1"	1	12
1814004	2"	1	12

SPECIALTY CHEMICALS

PORC-A-FIX

**PORCELAIN TOUCH-UP PAINT
FOR CHIPPED & DAMAGED FIXTURES**

**SPECIALLY BLENDED TO MATCH ORIGINAL
MANUFACTURER'S COLORS**



for American Standard

- 1010101 PORC-A-FIX WHITE AS-1
- 1010105 PORC-A-FIX REGENCY BLUE AS-05
- 1010107 PORC-A-FIX BONE AS-07
- 1010110 PORC-A-FIX VENETIAN PK AS-10
- 1010111 PORC-A-FIX FAWN BEIGE AS-11
- 1010114 PORC-A-FIX HARVEST GOLD AS-14
- 1010115 PORC-A-FIX AVOCADO AS-15
- 1010123 PORC-A-FIX DRESDEN BLUE AS-23
- 1010128 PORC-A-FIX SAFFRON YELLOW AS-28
- 1010133 PORC-A-FIX STERLING SLVR AS-33
- 1010134 PORC-A-FIX SHELL AS-34
- 1010135 PORC-A-FIX PARCHMENT AS-35
- 1010169 PORC-A-FIX LINEN AS-69

for Crane

- 1010201 PORC-A-FIX WHITE CR-1

for Eljer

- 1010301 PORC-A-FIX WHITE, EM-01
- 1010318 PORC-A-FIX ALMOND, EM-18
- 1010319 PORC-A-FIX FAWN BEIGE EM-26

for Gerber

- 1010402 PORC-A-FIX WHITE GB-1
- 1010414 PORC-A-FIX ALMOND GB-14

for Kohler

- 1010501 PORC-A-FIX WHITE, KK-01
- 1010514 PORC-A-FIX BLACK KK-14
- 1010528 PORC-A-FIX ALMOND, KK-28
- 1010529 PORC-A-FIX BONE, KK-29
- 1010540 PORC-A-FIX INNOCENT BLUSH KK-40
- 1010546 PORC-A-FIX BISCUIT, KK-46

for Appliances

- 1010601 PORC-A-FIX BASIC WHITE, BS-1



**WHITE PORCELAIN
GLAZE**



W-R#	Description	Min.	Box
1010002	1 oz.	12	12

- White, high-temperature touch-up paint for appliances
- Rated for up to 400°F