




Genuine **Sammy®** products have been the professional's choice for over 15 years. **Sammy®** screws save the contractor time and materials costs in pipe-hanging applications.

FOR WOOD




Straight Screws
For 3/8" All-thrd rod
Min. 1/4" Steel
Min 1-1/2" Wood



Sidewinders Screws
For 3/8" All-thrd rod
Designated by "SW"

FOR STEEL



TEK 50 Self-drills & Self-taps into steel up to 1/2" thick. SWDR & DST self-drills & self-taps through 3/16" steel and accepts retainer nut.

FOR CONCRETE



Use 20 ft/lbs torque on nut. For CST use 1/4" bit & drill 2" deep in concrete.



"SAMMY" SCREWS® FOR WOOD

Fits 3/8" threaded rod

W-R#	Pattern	Length	Sammy#	Box
2440001	Straight	1"	GST-10	25
2440002	Straight	2"	GST-20	25
2440015	Straight	3"	GST-30	25
2440003	Sidewinder	1"	SWG-10	25
2440004	Sidewinder	2 1/2"	SWG-25-380	25
2440016	Sidewinder	3"	SWG-30	25



"SAMMY" SCREWS® FOR STEEL

Fits 3/8" threaded rod

"*" items are furnished with retaining nut


W-R#	Pattern	Length	Sammy#	Box
2440006	Straight	1"	DST-10	25
* 2440020	Straight	1"	DSTR-1	25
* 2440022	Straight	1 1/4"	DSTR516	25
2440010	Straight	1 1/2"	TEK-50	25
2440018	Straight	2"	DST-20	25
* 2440008	Sidewinder	1 1/4"	SWDR516	25



"SAMMY" SCREWS® FOR CONCRETE

Fits 3/8" threaded rod

W-R#	Pattern	Length	Sammy#	Box
2440012	Straight	1 1/2"	CST-20	25
2440014	Sidewinder	1 1/2"	SWC-20	25




Genuine **Sammy®** products have been the professional's choice for over 15 years. **Sammy®** screws save the contractor time and materials costs in pipe-hanging applications.




"SAMMY X-PRESS®" SCREWS FOR STEEL DECK



W-R#	Sammy#
2440030	Sammy XPress XP-20
2440036	Sammy XPress Swivel SXP-20



Sammy XPress #2440030



Sammy Swivel #2440036 XPress

Sammy XPress® is a patented, unique solution for hanging rod where access to the back of the fastener is restricted (Metal Roof Deck, Tubular Steel, Etc.)
 - No retaining nut required
 - Must be used with installation tool #2440110.



"SAMMY" SCREWS® - SETTING TOOL -

W-R#	Sammy#
2440102	Sammy Driver 8113910
2440104	Sidewinder Driver 8114910
2440110	Sammy Xpress Tool 8194910



ALL "SAMMY" SCREWS ARE FOR 3/8" THREADED ROD



HiLo® Thread pattern

TAPCON® CONCRETE ANCHORS




W-R#	Size	Box
1333002	1/4" x 1 1/4"	100
1333004	1/4" x 1 3/4"	100
1333006	1/4" x 2 3/4"	100

- Phillips head drive
- Blue Climaseal® coating
- Original HiLo® threading



"Wings"

TAPCON® WOOD-TO-METAL SCREWS



W-R#	Size	Box
1333050	10/24 X 1 7/16"	100

- Phillips head drive
- Gray Spex® coating
- "Wings" ream a hole in wood, preventing thread engagement during drilling.
- For attaching 1/4" - 3/4" wood to steel

PIPE HANGERS & FASTENERS



HANGER SCREWS


W-R#	Dia.	Length	Min.	Box
2432500	3/8"	3 1/2"	1	25
2432502	3/8"	6"	1	25



3/8" LAG BOLT DRIVER

W-R#	Min.	Box
1808300 Driver	1	12

- Hanger screw threads into driver for quick & easy installation.



THREADED STEEL RODS - BLACK

W-R#	Dia.	Length	TPI	Min.	Box
2409006	3/8"	6'	16	35	35
2409008	1/2"	6'	13	20	20



STEEL THREADED ROD COUPLING

W-R#	Dia.	TPI	Min.	Box
2402006	3/8"	16	25	25
2402008	1/2"	13	25	25



STEEL HEX NUT FOR THREADED ROD

W-R#	Dia.	TPI	Min.	Box
2403002	1/4"	20	100	100
2403006	3/8"	16	100	100
2403008	1/2"	13	100	100



STEEL WASHER FOR THREADED ROD

W-R#	Dia.	OD	Min.	Box
2404002	1/4"	3/4"	100	100
2404006	3/8"	1"	100	100
2404102	3/8"	1 1/2"	100	50
2404008	1/2"	1 3/8"	100	100



STOVE BOLTS

W-R#	Dia.	Length	TPI	Min.	Box
2401002	1/4"	1"	20	100	100

- Round Head
 - Slotted
 - Zinc-plated

FASTENERS



**SELF-PIERCING
SHEET METAL "ZIP"
SCREWS**

W-R#	Dia.	Length	Box
1334010	#8	1/2"	100
1334050	#8	1/2"	1000
1334012	#8	3/4"	100
1334014	#8	1"	100

- Hard zinc plated
- Slotted hex head



**SELF-DRILLING
"TEK" SCREWS**

W-R#	Dia.	Length	Box
1334004	#8	1/2"	100
1334006	#8	3/4"	100
1334008	#8	1"	100

- Hard zinc plated
- Slotted hex head



TOGGLE BOLTS

W-R#	Dia.	Length	Box
2402302	1/4"	4"	25

- Zinc Plated
- Furnished with wing



**W-R SCREW & ANCHOR
KITS**



W-R#	Dia.	Length	Box
2401500	3/16" (#8)	1"	25
2401502	1/4" (#10)	1"	25
2401506	5/16" (#12)	1 1/2"	25

- Each kit contains:
 - 100 hex head--phillips screws
 - 100 plastic anchors
 - 1 carbide masonry drill bit



MASONRY DRILL BIT

W-R#	Dia.	Length	Box
1812600	3/16"	4"	6
1812602	1/4"	4"	6
1812604	5/16"	4"	6
1812606	3/8"	4"	6
1812608	1/2"	4"	6

FASTENERS & TOOLS



INSERT BITS

W-R#		Box
1812804	#2 Phillips Insert Bit	12



MAGNETIC NUT SETTERS

W-R#	Hex Size	Length	Box
1808320	1/4"	1 3/4"	12
1808322	5/16"	1 3/4"	12



4-1 SCREW DRIVER

6-1 SCREW DRIVER

W-R#		Box
1808402	4-1 Screwdriver	12
1808403	6-1 Screwdriver	12

- Rubberized grip
- Individually display carded



NUT DRIVERS

W-R#		Min	Box
1808450	1/4"	1	12
1808452	5/16"	1	12



FOLDING HEX KEY SET

W-R#		Min	Box
1818135		1	6



T-HANDLE HEX KEY SET

W-R#	Size	Min	Box
1818137	9"	1	6

- 8 piece set



8 PIECE ALLEN WRENCH SET ON RING

W-R#		Min	Box
1818140	1/16" to 1/4"	1	6